

Fright OR Fall



Sweet Pea
MACHINE EMBROIDERY

4x4 5x5 6x6 7x7 8x8

Fright or Fall Quilt 4x4 5x5 6x6 7x7 and 8x8 Instructions

FABRIC REQUIREMENTS

4x4 (10cm x 10cm) Hoop

REST OF THE QUILT (MEASURE YOUR QUILT FIRST)

Fabric A – 56cm x 56cm (22" x 22") backing – cut later (measure quilt front first)

5x5 (13cm x 13cm) Hoop

REST OF THE QUILT (MEASURE YOUR QUILT FIRST)

Fabric A – 66cm x 66cm (26" x 26") backing – cut later (measure quilt front first)

6x6 (16cm x 16cm) Hoop and 150mm x 150mm Hoop

REST OF THE QUILT (MEASURE YOUR QUILT FIRST)

Fabric A – 76cm x 76cm (30" x 30") backing – cut later (measure quilt front first)

7x7 (18cm x 18cm) Hoop

REST OF THE QUILT (MEASURE YOUR QUILT FIRST)

Fabric A – 89cm x 89cm (35" x 35") backing – cut later (measure quilt front first)

8x8 (20cm x 20cm) Hoop

REST OF THE QUILT (MEASURE YOUR QUILT FIRST)

Fabric A – 99cm x 99cm (39" x 39") backing – cut later (measure quilt front first)

Final Dimensions (approx.) using 12 blocks and borders:

4x4 - 48cmW x 48cmL (19" x 19")

5x5 - 61cmW x 61cmL (24" x 24")

6x6 – 72.5cmW x 72.5cmL (28 ½" x 28 ½")

7x7 - 85cmW x 85cmL (33 ½" x 33 ½")

8x8 - 97cmW x 97cmL (38" x 38")

NOTE: If you have decided to do this project with Leather, Faux Leather, Vinyl, Cork, PVC (clear plastic) or any combination of these, please refer to our guide with extra tips on how to use these materials here - <https://swpea.com.au/blogs/machine-embroidery-blogs/tips-when-using-pu-leather-in-machine-embroidery>

Sweet Pea Machine Embroidery Designs Design Files Disclaimer-

Please note to customers who use embroidery software to open our files. In doing so, you may run the risk of the design not stitching as intended by our digitiser's instructions.

We highly recommend that any design file purchased from us be downloaded per our "how to download our designs" instructions on our website, placed directly onto a USB/memory card, and then placed directly onto the embroidery machine.

We will not be obligated to compensate customers who have put our files through their software and the resulting stitch-out was not as intended.

USING YOUR REGULAR SEWING MACHINE:

JOINING THE BLOCKS

Lay out your blocks on a flat surface and decide on your layout. Your blocks don't have to be in the same order as our sample.



Start by joining the blocks in rows. Place the first two blocks **right sides** together.



Pin and stitch the side seam on your sewing machine. Stitch just inside the border that is already stitched on the blocks, so the stitching will not be seen on the right side later.



Continue this until you have joined the remaining blocks in that row together.



Open out the stitched seams and iron flat. Repeat for each seam in the row.



Continue this until you have each horizontal row of blocks joined.



Next, join the horizontal rows to each other by placing the first two rows right sides together. Pin and stitch the seams on your sewing machine. Stitch just inside the border that is already stitched on the blocks, so the stitching will not be seen on the right side later.



Continue this until you have joined all the horizontal rows together. Open out the stitched seams and iron flat.




CUT THE BACKING

Place **Fabric A** (backing) on your table, right side facing up. Place your sewn quilt on top of **Fabric A** right sides together.



Pin in place, leaving an opening of about 6" (15cm) for turning.



Stitch a 1/2" (12.5mm) seam, remembering to leave the opening.



Trim the seams to 1/4" (6mm) and 1/2" (12.5mm) where the opening is so it is easier to hand stitch it closed later. Clip the corners for more pointed ones when turned.



Turn the right way out through the opening. Use That Pink Thang or chopstick to help push out the corners. Press. Hand stitch (or use fabric glue) the opening closed.



Optional - Edgestitch the outer edges of the borders (make sure your bobbin matches your backing fabric).
Optional - Stitch in the ditch (make sure your bobbin matches your backing fabric). Decide what seams need ditch stitching. Not every seam needs to be stitched; choosing the main seams to hold the central blocks flat is acceptable.

NOTE: Stitching in the ditch is an invisible finish on the front, and the stitching lines are only visible on the backside of the quilt. **Ensure the bobbin thread on the underside of the quilt matches the backing fabric and the top thread on the top of the quilt is an invisible thread or thread colour to match the fabric in the seam.**



Your Halloween or Fall Mystery Quilt is now complete!



Here is an example of Fall version:

