

Poinsettia Potted Plant Hanger

5x7 6x10 8x12

Sweet Pea
MACHINE EMBROIDERY

Poinsettia Potted Plant Hanger 5x7 6x10 and 8x12 Instructions

This design includes a colour chart for the top two flower panels.

FABRIC REQUIREMENTS

5x7 (13cm x 18cm) Hoop

FLOWER PANEL (LEFT AND RIGHT)

Fabric A – 18cm x 23cm (7" x 9") background

Fabric B – 12cm x 4cm (4.5" x 1.5") top of the pot

POT PANEL (LEFT AND RIGHT)

Fabric A – 9cm x 10cm (3.5" x 4") background

Fabric B – 18cm x 13cm (7" x 5") table

Fabric C – 12cm x 14cm (4.5" x 5.5") pot

Fabric D – 6.5cm x 4cm (2.5" x 1.5") ribbon

Fabric E – 8cm x 9cm (3" x 3.5") bow

Fabric F – 20cm x 5cm (8" x 2") bottom border strip

Batting 1 – 18cm x 23cm (7" x 9") cut one for each panel

REST OF THE HANGER

Fabric G 9cm x 30cm (3.5" x 12") **hanging loops**

Fabric H – 30cm x 41cm (12" x 16") backing – **cut later (measure your joined panels first)**

6x10 (16cm x 26cm) Hoop

FLOWER PANEL (LEFT AND RIGHT)

Fabric A – 20cm x 30cm (8" x 12") background

Fabric B – 14cm x 5cm (5.5" x 2") top of the pot

POT PANEL (LEFT AND RIGHT)

Fabric A – 12cm x 13cm (4.5" x 5") background

Fabric B – 20cm x 18cm (8" x 7") table

Fabric C – 13cm x 19cm (5" x 7.5") pot

Fabric D – 8cm x 6.5cm (3" x 2.5") ribbon

Fabric E – 9cm x 13cm (3.5" x 5") bow

Fabric F – 6.5cm x 27cm (2.5" x 10.5") bottom border strip

Batting 1 – 20cm x 30cm (8" x 12") cut one for each panel

REST OF THE HANGER

Fabric G 9cm x 30cm (3.5" x 12") **hanging loops**

Fabric H – 36cm x 56cm (14" x 22") backing – **cut later (measure your joined panels first)**

8x12 (20cm x 30cm) Hoop

FLOWER PANEL (LEFT AND RIGHT)

Fabric A – 25cm x 35cm (10" x 14") background

Fabric B – 17cm x 5cm (6.5" x 2") top of the pot

POT PANEL (LEFT AND RIGHT)

Fabric A – 13cm x 14cm (5" x 5.5") background

Fabric B – 25cm x 19cm (10" x 7.5") table

Fabric C – 15cm x 22cm (6" x 8.5") pot

Fabric D – 8cm x 6.5cm (3" x 2.5") ribbon

Fabric E – 10cm x 14cm (4" x 5.5") bow

Fabric F – 32cm x 6.5cm (12.5" x 2.5") bottom border strip

Batting 1 – 25cm x 35cm (10" x 14") cut one for each panel

REST OF HANGER

Fabric G 9cm x 30cm (3.5" x 12") **hanging loops**

Fabric H – 46cm x 66cm (18" x 26") backing – **cut later (measure your joined panels first)**

Finished dimensions (approx.)

5x7 – 25cmW x 35cmL (10" x 14")

6x10 – 30cmW x 51cmL (12" x 20")

8x12 – 41cmW x 61cmL (16" x 24")

NOTE: If you have decided to do this project with Leather, Faux Leather, Vinyl, Cork, PVC (clear plastic) or any combination of these, please refer to our guide with extra tips on how to use these materials here - <https://swpea.com.au/blogs/machine-embroidery-blogs/tips-when-using-pu-leather-in-machine-embroidery>

Sweet Pea Machine Embroidery Designs Design Files Disclaimer-

Please note to customers who use embroidery software to open our files. In doing so, you may run the risk of the design not stitching as intended by our digitiser's instructions.

We highly recommend that any design file purchased from us be downloaded as per our "how to download our designs" instructions on our website, placed directly onto a USB/memory card, and then placed directly onto the embroidery machine.

We will not be obligated to compensate customers who have put our files through their software and the resulting stitch-out was not as intended.

INSTRUCTIONS - USING YOUR EMBROIDERY MACHINE:

For tips on how to correctly hoop your stabiliser, go to <https://swpea.com/blogs/machine-embroidery-blogs/tips-for-stabiliser-in-the-hoop>

FLOWER PANEL LEFT

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



STEP 1 Place **Batting 1** on top of the hoop. Stitch the batting down. Remove the hoop from your machine and trim the batting about 1-2mm from the stitching.



STEP 2 Stitch the placement line for the background.



STEP 3 Place **Fabric A** right side up on the hoop covering the placement line. Stitch down.



Remove the hoop from your machine and trim the fabric about 1-2mm from the stitching. Leave the excess fabric in the seam.



STEP 4 Embroider the quilting.




STEPS 5 & 6 Repeat the applique process for the top of the pot using **Fabric B**. Trim, leaving the excess fabric in the seams.



STEP 7 Embroider the satin stitch along the top of the pot.



STEPS 8 - 34 Using the diagram below as a guide embroider the flowers and berries in the pot (the number corresponds to the STEP number):





Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



FLOWER PANEL LEFT

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



STEP 1 Place **Batting 1** on top of the hoop. Stitch the batting down. Remove the hoop from your machine and trim the batting about 1-2mm from the stitching.



STEP 2 Stitch the placement line for the background.

STEP 3 Place **Fabric A** right side up on the hoop covering the placement line. Stitch down.



Remove the hoop from your machine and trim the fabric about 1-2mm from the stitching. Leave the excess fabric in the seam.




STEP 4 Embroider the quilting.



STEPS 5 - 7 Repeat the applique process for the top of the pot using **Fabric B**. Trim, leaving the excess fabric in the seams. Then embroider the satin stitch along the top of the pot.



STEPS 8 - 34 Using the diagram below as a guide embroider the flowers and berries in the pot (the number corresponds to the STEP number):






Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



POT PANEL LEFT

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



STEP 1 Place **Batting 1** on top of the hoop. Stitch the batting down. Remove the hoop from your machine and trim the batting about 1-2mm from the stitching.



STEP 2 Stitch the placement line for the background.



STEP 3 Place **Fabric A** right side up on the hoop covering the placement line. Stitch down.



Remove the hoop from your machine and trim the fabric about 1-2mm from the stitching. Leave the excess fabric in the seams.



STEP 4 Embroider the quilting.



STEPS 5 & 6 Repeat the applique process for the table using **Fabric B**. Trim, leaving the excess fabric in the seams.



STEP 7 Embroider the quilting.



STEP 8 Embroider the satin stitch between the background and table.



STEPS 9 & 10 Repeat the applique process for the pot using **Fabric C**. Trim, leaving the excess fabric in the seams.



STEPS 11 & 12 Embroider the quilting, then the satin stitch along the pot.



STEPS 13 & 14 Repeat the applique process for the ribbon using **Fabric D**. Trim.



STEPS 15 & 16 Embroider the quilting, then the satin stitch along the ribbon.



STEPS 17 & 18 Repeat the applique process for the bow using **Fabric E**. Trim, leaving the excess fabric in the seams.




STEPS 19 & 20 Embroider the quilting, then detail on the centre bow.



STEP 21 Embroider the satin stitch around the bow.



STEP 22 Embroider the poinsettia leaf. (This connects to step 18 in the **Flower Panel Left**)



STEP 23 Embroider the poinsettia petal. (This connects to step 19 in the **Flower Panel Left**)



STEP 24 Stitch the placement line for the bottom border.



STEP 25 Using diagonal stitching on the right, place **Fabric F** on top of the hoop wrong side up with ¼" crossing over the placement line and the excess pointing towards the top right side of the hoop. Stitch down.



STEP 26 Fold over, hold taut and stitch down. **Don't trim any fabric.**



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



POT PANEL RIGHT

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



Repeat STEPS 1-21 from POT PANEL LEFT

STEP 22 Embroider the poinsettia leaf. (This connects to step 24 in the **Flower Panel Right**)



STEP 23 Stitch the placement line for the bottom border.



STEP 24 Using diagonal stitching on the left, place **Fabric F** on top of the hoop wrong side up with ¼" crossing over the placement line and the excess pointing towards the top left side of the hoop. Stitch down.



STEP 25 Fold over, hold taut and stitch down. **Don't trim any fabric.**



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



USING YOUR REGULAR SEWING MACHINE:

JOINING THE BLOCKS

Lay out your blocks on a flat surface.



Place the first two blocks **right sides** together.



Pin and stitch the side seam on your sewing machine. Stitch just inside the border already stitched on the blocks so the stitching will not be seen on the right side later.



Open the seams and iron them flat. If needed, trim the edges to make them even.



Next, join the horizontal rows to each other by placing the first two rows right sides together. Pin and stitch the seams on your sewing machine. Stitch just inside the border is already stitched on the blocks, so the stitching will not be seen on the right side later.



Open out the stitched seams and iron flat.



ADD THE LOOPS FOR HANGING

Take out **Fabric G** for the loops and fold the two longer edges widthways. Stitch a ½ inch (12.5mm”) seam to create a tube.



Open the seam, and then, using the tip of the iron, press this seam open.



Turn the loop through to the right side and press flat, leaving the joining seam in the middle on the underside of the loop. Edgestitch or topstitch, if desired. Make sure the bobbin is the same colour as your top thread.



Fold in half lengthways and cut. This will give you your two loops. Fold in half lengthways again and iron—clip to secure. Machine baste the ends together.



Pin them both to the hanger. **(We decided to place the loops 1" (2.5cm) from the border stitching of the hanger. This will depend on the type of hanger you are using).** Stay stitch the loops in place.



CUT THE BACKING

Place **Fabric H (backing)** on your table **right side up**. Place your sewn flag on top of **Fabric H** **right sides** together. Pin together, leaving an opening of at least 5 inches (13cm) for turning.



Stitch the seam, sewing just inside the border lines already on the panels, remembering to leave the opening.



Trim the seams to $\frac{1}{4}$ ", and $\frac{1}{2}$ " where the opening is, so it is easier to hand stitch it closed later. Clip the corners for more pointed ones when turned.



Then turn the right way out through the opening. Use a chopstick or That Pink Thang to help push out the corners. Press.



Hand stitch (or use fabric glue) the opening closed. Optional: Stitch in the ditch of the seams to attach the backing.



You have now finished your wall hanging. Enjoy!

