

Autumn Welcome Hanger

4x4 5x5 6x6 7x7 8x8



THREAD COLOUR CHART INCLUDED



Sweet Pea 
MACHINE EMBROIDERY

Autumn Welcome Hanger 4x4 5x5 6x6 7x7 8x8 Instructions

There is a thread colour chart provided for this design – please see separate document within the files.

FABRIC REQUIREMENTS

4x4 (10cm x 10cm) Hoop

ALL LETTER BLOCKS

Fabric A - 15cm x 15cm (6"x 6") **background**

Fabric B - 9cm x 10cm (3.5"x 4") **letter**

Batting 1 – 15cm x 15cm (6"x 6") cut one for each panel

REST OF THE HANGERS

Optional Flat Piping: Fabric C – cut 2 x 3cm x 76cm (1.25" x 30") sides – cut later (measure joined panels first)

Optional Flat Piping: Fabric D – cut 2 x 3cm x 14cm (1.25" x 5.5") ends – cut later (measure joined panels first)

Fabric E – 9cm x 30cm (3.5" x 12") **hanging loops**

Fabric F – 25cm x 86.5cm (10"x 34") **backing (cut later - measure your hanger first)**

5x5 (13cm x 13cm) Hoop

ALL LETTER BLOCKS

Fabric A - 18cm x 18cm (7"x 7") **background**

Fabric B - 10cm x 12cm (4"x 4.5") **letter**

Batting 1 – 18cm x 18cm (7"x 7") cut one for each panel

REST OF THE HANGERS

Optional Flat Piping: Fabric C – cut 2 x 3cm x 94cm (1.25" x 37") sides – cut later (measure joined panels first)

Optional Flat Piping: Fabric D – cut 2 x 3cm x 17cm (1.25" x 6.5") ends – cut later (measure joined panels first)

Fabric E – 9cm x 30cm (3.5" x 12") **hanging loops**

Fabric F – 28cm x 104cm (11"x 41") **backing (cut later - measure your hanger first)**

6x6(16cm x 26cm) Hoop

ALL LETTER BLOCKS

Fabric A - 20cm x 30cm (8"x 8") **background**

Fabric B - 13cm x 14cm (5" x 5.5") **letter**

Batting – 20cm x 30cm (8"x 8") cut one for each panel

REST OF THE HANGERS

Optional Flat Piping: Fabric C – cut 2 x 3cm x 112cm (1.25" x 44") sides – cut later (measure joined panels first)

Optional Flat Piping: Fabric D – cut 2 x 3cm x 19cm (1.25" x 7.5") ends – cut later (measure joined panels first)

Fabric E – 9cm x 30cm (3.5" x 12") **hanging loops**

Fabric F – 30cm x 122cm (12"x 48") **backing (cut later - measure your hanger first)**

7x7 (18cm x 18cm) Hoop

ALL LETTER BLOCKS

Fabric A - 23cm x 23cm (9"x 9") **background**

Fabric B - 14cm x 15cm (5.5"x 6") **letter**

Batting 1 – 23cm x 23cm (9"x 9") cut one for each panel

REST OF THE HANGERS

Optional Flat Piping: Fabric C – cut 2 x 3cm x 130cm (1.25" x 51") sides – cut later (measure joined panels first)

Optional Flat Piping: Fabric D – cut 2 x 3cm x 22cm (1.25" x 8.5") ends – cut later (measure joined panels first)

Fabric E – 9cm x 30cm (3.5" x 12") **hanging loops**

Fabric F – 33cm x 140cm (13"x 55") **backing (cut later - measure your hanger first)**

8x8 (20cm x 20cm) Hoop

ALL LETTER BLOCKS

Fabric A - 23cm x 2cm (10"x 10") **background**

Fabric B - 17cm x 18cm (6.5"x 7") **letter**

Batting 1 – 23cm x 2cm (10"x 10") cut one for each panel

REST OF THE HANGERS

Optional Flat Piping: Fabric C – cut 2 x 3cm x 147cm (1.25" x 58") sides – cut later (measure joined panels first)

Optional Flat Piping: Fabric D – cut 2 x 3cm x 24cm (1.25" x 9.5") ends – cut later (measure joined panels first)

Fabric E – 9cm x 30cm (3.5" x 12") **hanging loops**

Fabric F – 35cm x 157.5cm (14"x 62") **backing (cut later - measure your hanger first)**

Finished dimensions (approx.)

4x4– 13cm x 75cm (5" x 29.5")

5x5 – 15cm x 93cm (6" x 36.5")

6x6 – 18cm x 110.5cm (7" x 43.5")

7x7 – 20cm x 128.5cm (8" x 50.5")

8x8 – 23cm x 146cm (9" x 57.5")

NOTE: If you have decided to do this project with Leather, Faux Leather, Vinyl, Cork, PVC (clear plastic) or any combination of these, please refer to our guide with extra tips on how to use these materials here - <https://swpea.com.au/blogs/machine-embroidery-blogs/tips-when-using-pu-leather-in-machine-embroidery>

Sweet Pea Machine Embroidery Designs Design Files Disclaimer-

Please note to customers who use embroidery software to open our files. In doing so, you may run the risk of the design not stitching as intended by our digitiser's instructions.

We highly recommend that any design file purchased from us be downloaded as per our "how to download our designs" instructions on our website, placed directly onto a USB/memory card, and then placed directly onto the embroidery machine.

We will not be obligated to compensate customers who have put our files through their software and the resulting stitch-out was not as intended.

INSTRUCTIONS

USING YOUR EMBROIDERY MACHINE:

For tips on how to correctly hoop your stabiliser, go to <https://swpea.com/blogs/machine-embroidery-blogs/tips-for-stabiliser-in-the-hoop>

W BLOCK

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



STEP 1 Place **Batting 1** on top of the hoop. Stitch down. Trim.



STEP 2 Place **Fabric A** on top of the hoop covering the batting. Stitch down. Do not trim.



STEPS 3 & 4 Embroider the top left leaf. Then embroider the outline around the leaf.



STEPS 5-7 Embroider the base colour of the bottom right leaf. Then embroider the top colour (These two colours will create a blend effect). Then embroider the veins on the leaf.



STEPS 8 & 9 Embroider the shading at the top of the pumpkin. Then embroider the main colour of the pumpkin.



STEPS 10 & 11 Embroider the outline of the pumpkin. Then embroider the stalk of the pumpkin.



STEP 12 Stitch the placement line for the letter.



STEP 13 Place **Fabric B** on top of the hoop covering the placement line. Stitch down. Remove the hoop from your machine and trim the fabric about 1-2mm from the stitching.



STEP 14 Embroider the satin stitch around the letter.



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



E1 BLOCK

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



Repeat Steps 1 & 2 from the W Block instructions above.

STEP 3 Embroider the stem of the leaf that joins on the leaf in the W Block.



STEPS 4-6 Embroider the pumpkin vine, then embroider the pumpkin leaves, and then the outlines and veins of the leaves.



STEPS 7-9 Embroider the shading at the base of the pumpkin. Then embroider the main colour of the pumpkin. Then the outline of the pumpkin.



STEPS 10 & 11 Repeat the applique process for letter using **Fabric B**. Trim.



STEP 12 Embroider the satin stitch around the letter.



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



L BLOCK

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



Repeat Steps 1 & 2 from the W Block instructions above.

STEPS 3-5 Embroider the pumpkin vine, then embroider the pumpkin leaves, and then the outlines and veins of the leaves.



STEPS 6-8 Embroider the shading at the base of the pumpkin. Then embroider the main colour of the pumpkin. Then the outline of the pumpkin.



STEPS 9 & 10 Embroider leaf on the pumpkin. Then embroider the stalk of the pumpkin and the stem and outline of the leaf.



STEPS 11 & 12 Repeat the applique process for letter using **Fabric B**. Trim.



STEP 13 Embroider the satin stitch around the letter.



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



C BLOCK

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



Repeat Steps 1 & 2 from the W Block instructions above.

STEPS 3-5 Embroider the pumpkin vine, then embroider the pumpkin leaves, and then the outlines and veins of the leaves.



STEPS 6-8 Embroider the base colour of the leaf. Then embroider the top colour (These two colours will create a blend effect). Then embroider the veins on the leaf.



STEPS 9 & 10 Embroider the pumpkin. Then the outline of the pumpkin.



STEPS 11 & 12 Embroider leaf on the pumpkin. Then embroider the stalk of the pumpkin and the stem and outline of the leaf.



STEPS 13 & 14 Repeat the applique process for letter using **Fabric B**. Trim.



STEP 15 Embroider the satin stitch around the letter.



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



O BLOCK

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



Repeat Steps 1 & 2 from the W Block instructions above.

STEPS 3-5 Embroider the leaf. Then Embroider the pumpkin. Then the outline of the pumpkin.



STEPS 6-8 Embroider the pumpkin vine, then embroider the pumpkin leaves, and then the outlines and veins of the leaves.



STEP 9 Embroider the stem of the leaf that will join onto the M Block.



STEPS 10 & 11 Repeat the applique process for letter using **Fabric B**. Trim.



STEP 12 Embroider the satin stitch around the letter.



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



M BLOCK

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



Repeat Steps 1 & 2 from the W Block instructions above.

STEPS 3-5 Embroider the pumpkin vine, then embroider the pumpkin leaves, and then the outlines and veins of the leaves.



STEPS 6-8 Embroider the base colour of the leaf. Then embroider the top colour (These two colours will create a blend effect). Then embroider the veins on the leaf.



STEP 9 Embroider the pumpkin stalk.



STEPS 10 & 11 Repeat the applique process for letter using **Fabric B**. Trim.



STEP 12 Embroider the satin stitch around the letter.



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



E2 BLOCK

Hoop up **cutaway stabiliser** in the hoop. Load the design onto your machine. Use applique scissors for trimming the batting and fabric.



Repeat Steps 1 & 2 from the W Block instructions above.

STEPS 3 & 4 Embroider the outer leaves, then the centre leaf.



STEPS 5-7 Embroider the pumpkin. Then the outline of the pumpkin. Then the stalk.



STEPS 8 & 9 Repeat the applique process for letter using **Fabric B**. Trim.



STEP 10 Embroider the satin stitch around the letter.



Remove from the hoop and trim the seams to about ½ an inch. Hold aside until all your panels are made.



USING YOUR REGULAR SEWING MACHINE:

JOIN ALL THE BLOCKS/PANELS

Lay out your hanger in order.



Place the first two panels right sides together.



Pin and sew a ½" (12.5mm) seam, sewing inside the border lines already on the panels.



Open the seams and iron them flat.



Continue joining the other panels in the same fashion. Trim around the perimeter of the hanger to ensure all sides are even.



OPTIONAL: ATTACHING THE FLAT PIPING


Measure the joined blocks through the middle to give a more average measurement. This measurement should be exact, to help control the symmetry of our product. Use this measurement as a guide to cut your fabric length. Cut two 1 1/4" inch strips (**Fabric C**) for the flat piping on the sides. **NOTE:** The flat piping strips should not have any joins in them, as this will cause them to look uneven when finished (but sometimes this is just not possible).



Press the strip/s of flat fabric for the piping in half widthways, ensuring the raw edges sit exactly on each other.



Check your length measurement, then continue to lay the flat piping strip right side up on top of the side edge of the joined blocks with the folded edge pointing towards the centre of the background fabric. Pin or quilt clip together and stitch into place with a 1/4" (6mm) seam.



Repeat for the other long edge of your hanger. The edges of the flat piping will overlap the ends. Trim.



Repeat the process for the remaining short ends (**Fabric D**).



ADD THE LOOPS FOR HANGING

Take out **Fabric E** for the loops. Fold the two longer edges widthways and sew a small 12.5mm (1/2") seam to create a tube.



Open the seam, and then, using the tip of the iron, press this seam open.



Turn the loop through to the right side and press flat, leaving the joining seam in the middle on the underside of the loop.



Fold in half lengthways and cut to make two loops. Edgestitch or topstitch, if desired.



Fold in half lengthways and iron—clip to secure.



Machine baste the edges together. Repeat for the other side to make it look even. Make sure the bobbin is the same colour as your top thread. Ensure the loops are even or trim them to the desired length.



Pin them both to the hanger. **(We decided to place the loops $\frac{3}{4}$ " (1.9cm) from the border stitching of the hanger. This will depend on the type of hanger you are using).**



Stay stitched in place.



CREATING THE BACK AND BINDING OF THE HANGER

Place **Fabric F** on your table, the wrong side facing up. Then place your sewn hanger on top of the **Fabric F**, wrong sides together. Pin them together. Optional – You can spray them together with temporary adhesive.



To keep the hanger's layers together, we can “stitch in the ditch.” This process will help keep the seams flat during the laundry process and will keep it flat during its lifetime.

NOTE: Stitching in the ditch is an invisible finish on the front, and the stitching lines are only visible on the backside of the hanger. Ensure the bobbin thread on the underside of the hanger matches the fabric and the top thread on the top of the hanger is invisible thread.



Trim the excess backing so it is precisely 1¼” (3cm) bigger than the hanger. **THIS EXTRA FABRIC WILL BE USED AS THE BINDING.**



Starting on any side, fold the backing fabric in half and then fold it in half again, ensuring you fold it over your seam and pin/clip (we started in the middle). Continue pinning your binding until you reach your first corner.



Try to make a nice, mitred corner when you get to the corner. Turn your binding in at the corner and continue folding the same way as we did for the first side of the binding. You can iron your folds as you go if this helps with your mitred corners. Fold a final time and pin the corner in place.



Continue pinning right around the hanger.



Starting anywhere, sew the binding to the hanger just inside the folded edge of the binding. If you want, change your bobbin thread to match your backing.



When you reach the corner, leave your needle down, lift the foot, and rotate the hanger. Put the foot down and continue stitching until you are right around the hanger.



Press the loops upwards and clip to secure. Stitch the bottom/top of the loops to the binding.



Press. Your wall hanger is now complete!

