

OWL

Decor Stuffies
4x4 5x5 6x6



Owl Décor Stuffies 4x4 5x5 and 6x6 Instructions

There are three different owls included in this pattern.

FABRIC REQUIREMENTS

4x4 (100mm x 100mm) Hoop

OWL 1

Fabric A - 16cm x 16cm (6" x 6") body

Fabric B - 10cm x 10cm (4" x 4") face

Small piece of fabric for the applique – wings and eyes

Fabric C - cut 2 x 16cm x 10cm (6" x 3.5") back

OWL 2

Fabric A - 6cm x 16cm (2.5" x 6") top of head

Fabric B - 13cm x 16cm (5" x 6") body

Small piece of fabric for the applique – wings and eyes

Fabric C - cut 2 x 16cm x 10cm (6" x 3.5") Back

OWL 3

Fabric A - 16cm x 16cm (6" x 6") head

Fabric B - 8cm x 16cm (3" x 6") wings

Small piece of fabric for the applique – eyes and tummy

Fabric C - cut 2 x 16cm x 10cm (6" x 3.5") Back

Batting 1 - 16cm x 16cm (6" x 6") cut one for each design

Piece of ribbon to hang your stuffie - optional

5x5 (130mm x 130mm)Hoop

OWL 1

Fabric A - 18cm x 18cm (7" x 7") body

Fabric B - 13cm x 13cm (5" x 5") face

Small piece of fabric for the applique – wings and eyes

Fabric C - cut 2 x 18cm x 11cm (7" x 4") Back

OWL 2

Fabric A - 6cm x 18cm (2.5 x 7") top of head

Fabric B - 14cm x 18cm (5.5" x 7") body

Small piece of fabric for the applique – wings and eyes

Fabric C - cut 2 x 18cm x 11cm (7" x 4") Back

OWL 3

Fabric A - 12cm x 18cm (4.5" x 7") head

Fabric B - 9cm x 18cm (3.5" x 7") wings

Small piece of fabric for the applique – eyes and tummy

Fabric C - cut 2 x 18cm x 11cm (7" x 4") Back

Batting 1 - 17cm x 17cm (6.5" x 6.5") cut one for each design

Piece of ribbon to hang your stuffie - optional

6x6 (160mm x 160mm) Hoop and 150mm x 150mm hoop

OWL 1

Fabric A - 20cm x 20cm (8" x 8") body

Fabric B - 16cm x 16cm (6" x 6") face

Small piece of fabric for the applique – wings and eyes

Fabric C - cut 2 x 20cm x 13cm (8" x 4.5") Back

OWL 2

Fabric A - 8cm x 20cm (3" x 8") top of head

Fabric B - 18cm x 20cm (7" x 8") body

Small piece of fabric for the applique – wings and eyes

Fabric C - cut 2 x 20cm x 13cm (8" x 4.5") Back

OWL 3

Fabric A - 14cm x 20cm (5.5" x 8") head

Fabric B - 13cm x 20cm (5" x 8") wings

Small piece of fabric for the applique – eyes and tummy

Fabric C - cut 2 x 20cm x 13cm (8" x 4.5") Back

Batting 1 - 18cm x 18cm (7" x 7") cut one for each design

Piece of ribbon to hang your stuffie - optional

Finished Dimensions (approx.):

4x4 - Owl 1 - 9cmW x 9cmL (3 ½" x 3 ½")
Owl 2 - 9cmW x 9cmL (3 ½" x 3 ½")
Owl 3 - 9.5cmW x 9cmL (3 ¾" x 3 ½")

5x5 - Owl 1 – 11.5cmW x 11.5cmL (4 ½" x 4 ½")
Owl 2 – 11.5cmW x 11.5cmL (4 ½" x 4 ½")
Owl 3 - 12cmW x 11.5cmL (4 ¾" x 4 ½")

6x6 - Owl 1 - 16cmW x 16cmL (6" x 6")
Owl 2 - 16cmW x 16cmL (6" x 6")
Owl 3 – 16cmW x 16cmL (6" x 6")

Sweet Pea Machine Embroidery Designs Design Files Disclaimer-

Please note to customers who use embroidery software to open our files. In doing so, you may run the risk of the design not stitching as intended by our digitiser's instructions.

We highly recommend that any design file purchased from us should be downloaded as per our "how to download our designs" instructions on our website and placed directly onto a USB/memory card and then placed directly onto the embroidery machine.

We will not be obligated to provide compensation to customers who have put our files through their software and the resulting stitch out was not as intended.

USE YOUR REGULAR SEWING MACHINE:

Before starting the embroidery on your embroidery machine, make up the back fabric for each stuffie with your sewing machine.

Using **Fabric C**, pin right sides together along one of the long sides leaving a 3" (7cm) gap in the middle of the seam. Sew a ½" seam, leaving the 3" (7cm) gap open. This gap is where the stuffie will be turned at the end.



Press the ½" seam allowance open and put aside.




USE YOUR EMBROIDERY MACHINE:

Before hooping any stabiliser in your hoop, we **HIGHLY** recommend that you line the outside of your inner hoop with a double sided tape. The brand that we use is called X-PressIt and is about 6mm wide. You can get it in all different widths, but this was the width that suited our hoop the best. This tape will stop the stabiliser from moving and puckering when your machine is embroidering.




We also **HIGHLY** recommend pinning the stabiliser right around the perimeter of the hoop. Please take notice of how we have done this in the photos below. We are basically trying to keep the stabiliser as still as possible while the machine is embroidering.




OWL 1

Hoop cutaway stabiliser in the hoop. Load the design onto your machine. Use applique scissors for trimming the fabric and batting.



STEP 1 Stitch the placement line for the batting.



STEP 2 Place **Batting 1** on top of the hoop. Stitch the batting down.



Remove the hoop from your machine and trim the batting about 1-2mm from the stitching.



STEP 3 Stitch the placement line for the body.

STEP 4 Place **Fabric A** right side up on top of the hoop covering the placement line. Stitch down.



Remove the hoop from the machine and trim the fabric about 1-2 mm from the stitching line. Leave the rest of the fabric in the seams.



STEPS 5-6 Repeat the applique process with the wings using a piece of fabric large enough to cover the placement lines. Trim, remembering not to trim the fabric in the seams.



STEPS 7-8 Repeat the applique process with the face using **Fabric B**. Trim.



STEPS 9-10 Repeat the applique process with the eyes using a piece of fabric large enough to cover the placement lines. Trim.



STEP 11 Embroider the satin stitch around the eyes.



STEP 12 Embroider the pupils.



STEP 13 Embroider the shines.



STEP 14 Embroider the satin stitch along the bottom of the face.



STEP 15 Embroider the leaf details on the bottom portion of the face.



STEP 16 Embroider the lace red work.



STEP 17 Embroider the satin stitch around the face.



STEP 18 Embroider the beak.



STEP 19 Embroider the decorative satin stitch along the wings.



STEP 20 Embroider the flower detail on the wings.



Fold your piece of ribbon in half, and then place it at the top of the owl with the loop pointing towards the centre of the hoop. The raw ends should be pointing towards the top of the hoop (try to get your loop as vertical as you can). You can tape it down if you wish.



Place **Fabric C** (with the seam split (opening) that you've already sewn) on top of the hoop wrong side up. Place some tape across the seam split to prevent it from opening. Additionally, place tape over the pressed open seam allowance to prevent the embroidery foot from catching when stitching over the top of them.



STEP 21 Stitch down into place.



STEP 22 **NOTE:** There will be one more step after the triple stitch; **DO NOT** stitch this step, just remove the hoop from the machine and skip this step. This very last step is here so the machine doesn't move to the centre of the hoop and get caught on the seam split when finished!

Remove the tape and remove your work from the hoop. Trim seams to about ¼ inch and clip into the curves to allow for easy turning.



Turn the right way out through the opening. Use The Pink Thang or a chopstick to push along the seams.



Press firmly. Stuff your owl (this is optional).



Hand stitch the opening closed.




You have now finished your Owl.



OWL 2

Hoop cutaway stabiliser in the hoop. Load the design onto your machine. Use applique scissors for trimming the fabric and batting.




STEP 1 Stitch the placement line for the batting.




STEP 2 Place **Batting 1** on top of the hoop. Stitch the batting down. Remove the hoop from your machine and trim the batting about 1-2mm from the stitching.



STEP 3 Stitch the placement line for the top of the head.




STEP 4 Place **Fabric A** right side up on top of the hoop covering the placement line. Stitch down.



Remove the hoop from the machine and trim the fabric about 1-2 mm from the stitching line. Leave the rest of the fabric in the seams.



STEPS 5-6 Repeat the applique process with the body using **Fabric B**. Trim, remembering not to trim the fabric in the seams.



STEPS 7-8 Repeat the applique process with the wings using a piece of fabric large enough to cover the placement lines. Trim, remembering not to trim the fabric in the seams.



STEPS 9-10 Repeat the applique process with the eyes using a piece of fabric large enough to cover the placement lines. Trim.



STEP 11 Embroider the satin stitch around the eyes.



STEP 12 Embroider the pupils.



STEP 13 Embroider the shines.



STEP 14 Embroider the detail on the wings.



STEP 15 Embroider the lace detail on the wings.



STEP 16 Embroider the satin stitch along the inside of the wings.



STEP 17 Embroider the satin stitch along the wings.



STEP 18 Embroider the beak.



STEP 19 Embroider the satin stitch along the top of the head.



STEP 20 Embroider the detail along the top of the head.



Fold your piece of ribbon in half, and then place it at the top of the owl with the loop pointing towards the centre of the hoop. The raw ends should be pointing towards the top of the hoop (try to get your loop as vertical as you can). You can tape it down if you wish.



STEP 21 Place **Fabric C** (with the seam split (opening) that you've already sewn) on top of the hoop wrong side up. Place some tape across the seam split to prevent it from opening. Additionally, place tape over the pressed open seam allowance to prevent the embroidery foot from catching when stitching over the top of them. Stitch down into place.



STEP 22 NOTE: There will be one more step after the triple stitch; DO NOT stitch this step, just remove the hoop from the machine and skip this step. This very last step is here so the machine doesn't move to the centre of the hoop and get caught on the seam split when finished!

Remove the tape and remove your work from the hoop. Trim seams to about ¼ inch and clip into the curves to allow for easy turning.



Turn the right way out through the opening. Use The Pink Thang or a chopstick to push along the seams.



Press firmly.
Stuff your owl (this is optional).



Hand stitch the opening closed.




You have now finished your Owl.



OWL 3

Hoop cutaway stabiliser in the hoop. Load the design onto your machine. Use applique scissors for trimming the fabric and batting.




STEP 1 Stitch the placement line for the batting.



STEP 2 Place **Batting 1** on top of the hoop. Stitch the batting down. Remove the hoop from your machine and trim the batting about 1-2mm from the stitching.



STEP 3 Stitch the placement line for the head.



STEP 4 Place **Fabric A** right side up on top of the hoop covering the placement line. Stitch down.



Remove the hoop from the machine and trim the fabric about 1-2 mm from the stitching line. Leave the rest of the fabric in the seams.



STEPS 5-6 Repeat the applique process with the tummy using a piece of fabric large enough to cover the placement line. Trim, remembering not to trim the fabric in the seam.



STEPS 7-8 Repeat the applique process with the eyes using a piece of fabric large enough to cover the placement lines. Trim.



STEPS 9-10 Repeat the applique process with the wings using **Fabric B**. Trim, remembering not to trim the fabric in the seams.



STEP 11 Embroider the pupils.



STEP 12 Embroider the shines.



STEP 13 Embroider the lace around the eyes.



STEP 14 Embroider the satin stitch around the eyes.



STEP 15 Embroider the beak.



STEP 16 Embroider the satin stitch along the tummy.



STEP 17 Embroider the first set of details on the wings.



STEP 18 Embroider the second set of details on the wings.



STEP 19 Embroider the satin stitch along the wings.



STEP 20 Embroider the leaf detail on the wings.



STEP 21 Embroider flowers on the wings.



Fold your piece of ribbon in half, and then place it at the top of the owl with the loop pointing towards the centre of the hoop. The raw ends should be pointing towards the top of the hoop (try to get your loop as vertical as you can). You can tape it down if you wish.



STEP 22 Place **Fabric C** (with the seam split (opening) that you've already sewn) on top of the hoop wrong side up. Place some tape across the seam split to prevent it from opening. Additionally, place tape over the pressed open seam allowance to prevent the embroidery foot from catching when stitching over the top of them. Stitch down into place.



STEP 23 **NOTE:** There will be one more step after the triple stitch; **DO NOT** stitch this step, just remove the hoop from the machine and skip this step. This very last step is here so the machine doesn't move to the centre of the hoop and get caught on the seam split when finished!

Remove the tape and remove your work from the hoop. Trim seams to about ¼ inch and clip into the curves to allow for easy turning.



Turn the right way out through the opening. Use The Pink Thang or a chopstick to push along the seams.



Press firmly. Stuff your ornament (this is optional).



Hand stitch the opening closed.



You have now finished your Owl.

